imecon



imecon

IMON






Imecon is an Italian Company that specializes in designing, prototyping and producing advanced technological solutions for Digital Signage. Using mechanical and electronic components to create the most advanced solutions, every item is designed and built in the company's headquarter.

Located in Fiesco (in the Greater Area of Milan), Imecon saw a continuous grow in the last years. It now covers 12.000 Sqm and employs more than 100 people, whose average age is under 35.

In the area of Digital Signage, Imecon has developed a range of products with unique features and which are supported by stringent tests performed at external laboratories to guarantee safety and quality.

In 2018, Imecon has joined Voilàp Holding. Founded in 1970, the Holding owns branches in 60 Countries in the World, employs 1400 people and makes business for over 300 Million Euros.





It takes less than a coffee break to configure it: Anima has been developed to be easily and swiftly installed, without any particular requrements. You will only have to place it wherever you want and connect it.



Shops, Hotels, Sport Centres, Hospitals.

Designed for indoor locations, the minimal and elegant design of Anima makes the installation of the product easier in any indoor location.



One to one or group management: Anima can collect your contents locally, via a USB connection and the local TheTail app installed on the device, or via the cloud TheTail software. So sample that a child could do it.




A modern style totem led by an ad-hoc CMS. A solution installing a Full-HD screen to stream contents with great quality and sharpness. Price is the only entry level feature of this product.


Designed for those who want to install technological solutions for the first time without giving up the "wow effect". Thin and light, ANIMA is the simplest indoor solution ever produced by Imecon. Installable without any tools and configurable by remote control, the device can be installed in a moment without tools. Play FullHD content on a screen that can optimize your surroundings. With a series of available add-ons (from the touch screen to ticket printing), the standard structure has a minimal and elegant design, while containing all the technology in just 10cm. to amaze your customers.









530x942
43
1080x1920(FHD)
450
[OPTIONAL]
0-100%
10.000
10.000:1
16:9
+/- 89°
16.8M
IP30



LCD SCREEN ACTIVE AREA [mm]	605x1075
SCREEN SIZE [inches]	49
LCD SCREEN RESOLUTION [px]	1080x1920(FHD)
MAX BRIGHTNESS [cd/m²]	450
WARRANTED BRIGHTNESS [cd/m²]	[OPTIONAL]
BRIGHTNESS LEVELS [%]SFI%	0-100%
COLOR TEMPERATURE [K]	10.000
DYNAMIC CONTRAST RATIO	10.000:1
ASPECT RATIO	16:9
VIEWING ANGLE [degrees]	+/- 89°
VIEWABLE COLORS	16.8M
PROTECTION GRADE	IP30




681x1210
55
1080x1920(FHD)
450
[OPTIONAL]
0-100%
10.000
10.000:1
16:9
+/- 89°
16.8M
IP30






LCD SCREEN ACTIVE AREA [mm]	681x1210
SCREEN SIZE [inches]	55 (2x)
LCD SCREEN RESOLUTION [px]	1080x1920(FHD)
MAX BRIGHTNESS [cd/m²]	450
WARRANTED BRIGHTNESS [cd/m²]	[OPTIONAL]
BRIGHTNESS LEVELS [%] ^{STEP} _{OF 1%}	0-100%
COLOR TEMPERATURE [K]	10.000
DYNAMIC CONTRAST RATIO	10.000:1
ASPECT RATIO	16:9
VIEWING ANGLE [degrees]	+/- 89°
VIEWABLE COLORS	16.8M
PROTECTION GRADE	IP30




LCD SCREEN ACTIVE AREA [mm]	804x1429
SCREEN SIZE [inches]	65
LCD SCREEN RESOLUTION [px]	1080x1920(FHD)
MAX BRIGHTNESS [cd/m²]	450
WARRANTED BRIGHTNESS [cd/m²]	[OPTIONAL]
BRIGHTNESS LEVELS [%] STEP OF 1%	0-100%
COLOR TEMPERATURE [K]	10.000
DYNAMIC CONTRAST RATIO	10.000:1
ASPECT RATIO	16:9
VIEWING ANGLE [degrees]	+/- 89°
VIEWABLE COLORS	16.8M
PROTECTION GRADE	IP30





LCD SCREEN ACTIVE AREA [mm]	928x1650
SCREEN SIZE [inches]	65
LCD SCREEN RESOLUTION [px]	2160x3840(UHD)
MAX BRIGHTNESS [cd/m²]	500
WARRANTED BRIGHTNESS [cd/m²]	4+4 EXTRACHIARO
BRIGHTNESS LEVELS [%]STEP	0-100%
COLOR TEMPERATURE [K]	10.000
DYNAMIC CONTRAST RATIO	10.000:1
ASPECT RATIO	16:9
VIEWING ANGLE [degrees]	+/- 89°
VIEWABLE COLORS	16.8M
PROTECTION GRADE	IP30





LCD SCREEN ACTIVE AREA [mm]	928x1650
SCREEN SIZE [inches]	65
LCD SCREEN RESOLUTION [px]	2160x3840 ^(UHD)
MAX BRIGHTNESS [cd/m²]	3000
WARRANTED BRIGHTNESS [cd/m²]	NA
BRIGHTNESS LEVELS [%] STEP	0-100%
COLOR TEMPERATURE [K]	10.000
DYNAMIC CONTRAST RATIO	10.000:1
ASPECT RATIO	16:9
VIEWING ANGLE [degrees]	+/- 89°
VIEWABLE COLORS	16.8M
PROTECTION GRADE	IP30





imecon

Imecon- Via Gerola 13/15- 26010 Fiesco (CR)- ITALY Sede legale- Via A.Sangiorgio 12, 20145 Milano (MI)- ITALY www.imecon.it