




imecon

The logo for imecon features the word "imecon" in a white, lowercase, sans-serif font. The letter "i" has a white dot, "e" has a blue dot, and "o" has a white dot. To the left of the text is a vertical bar with a white bottom section and a blue top section.

imecon

IMON

---




Imecon is an Italian Company that specializes in designing, prototyping and producing advanced technological solutions for Digital Signage. Using mechanical and electronic components to create the most advanced solutions, every item is designed and built in the company's headquarter.

In the area of Digital Signage, Imecon has developed a range of products with features that are unique to the market and which are supported by stringent tests performed at independent laboratories to guarantee safety and quality.

The Headquarter, located in Fiesco (in the Greater Area of Milan) continuously grew in the last years. It now covers 12.000 Sqm and employs more than 80 people, whose average age is under 35.

In 2018, Imecon has joined **Voilàp Holding**: Founded in 1970, the Holding owns branches in 60 Countries in the World, employs 1400 people and makes business for over 300 Million Euros.






## FASTER WITH THE PERFECT INTEGRATION OF JOT AND THE TAIL

Body and soul: the artificial intelligence of Imecon is optimized to work at its best with the Quindici.01. It keeps gathering Big Data to study the performance of the device, thus creating performance prediction: the Quindici.01 will pinpoint potential malfunctioning before it happens and adapt its behaviour notifying a warning via the channels you selected on the software. Perfect cooperation of Hardware and Software thought from the very first draft.

## MAXIMUM EFFICIENCY MINIMUM CONSUMPTION



A product able to study and comprehend the location it is installed in to perform at its best and save energy. Deploying a series of environmental sensors, the Quindici.01 optimizes its functioning: small investment, big return.

## BRIGHT AND SHARP



Nothing is more important than being able to read contents in a clear and effective way, that's why the perfect 4K-UHD resolution of the Quindici.01 is enhanced by the brightest backlight ever developed by Imecon. It is so goodlooking that you can't lift your eyes.





## THE "SMART" IN SMART CITY


Quindici.01 is the solution chosen by several important cities through Europe: Milano to Madrid via Belfast, Amsterdam, Stockholm... Services, information, Advertisement, all in one.

Every location has its own needs, Imecon has therefore created the Quindici.01 to fulfill them all. Anodized aluminium and extraclear safety glass form the perfect structure to resist to any weather condition and shocks. Play your contents at a **4K UHD resolution with brilliant and vivid colours even in full sunlight**. Several sizes available (55" to 86"), this device deploys the Imecon patented interchangeable backlight system to optimize predictive maintenance and ensure long-term continuous **brightness of up to 6000nits**. Jot, the cloud management system, is crucial for remote control of product's performance. The new SuperIOT, managed by Imecon AI, is responsible for the deployment of the best performances and for the gathering of big data in easy-to-read charts available online.

imecon

Quindici.01






MEASURES IN MILLIMETERS

imecon

Quindici.01

55" **1080 FHD**

LCD SCREEN ACTIVE AREA [mm]	<b>680x1210</b>
SCREEN SIZE [inches]	<b>55</b>
LCD SCREEN RESOLUTION [px]	<b>1080x1920 (FHD)</b>
MAX BRIGHTNESS [cd/m <sup>2</sup> ]	FINO A <b>4500cd</b>
WARRANTED BRIGHTNESS [cd/m <sup>2</sup> ]	FINO A <b>3500</b> FUORI DAL VETRO
BRIGHTNESS LEVELS [%]	<b>0-100%</b> STEP DELL' 1%
COLOR TEMPERATURE [K]	<b>6500</b>
DYNAMIC CONTRAST RATIO	<b>10000:1</b>
ASPECT RATIO	<b>16:9</b>
VIEWING ANGLE [degrees]	<b>+/- 89°</b>
VIEWABLE COLORS	<b>16.8M</b>
PROTECTION GRADE	<b>IP67</b>




MEASURES IN MILLIMETERS

imecon

Quindici.01

55" 4K UHD

LCD SCREEN ACTIVE AREA [mm]	<b>680x1210</b>
SCREEN SIZE [inches]	<b>55</b>
LCD SCREEN RESOLUTION [px]	<b>2160x3840 (UHD)</b>
MAX BRIGHTNESS [cd/m <sup>2</sup> ]	<b>4000</b>
WARRANTED BRIGHTNESS [cd/m <sup>2</sup> ]	<b>????</b> <small>OUTSIDE THE GLASS</small>
BRIGHTNESS LEVELS [%]	<b>0-100%</b> <small>STEPS OF 1%</small>
COLOR TEMPERATURE [K]	<b>6500</b>
DYNAMIC CONTRAST RATIO	<b>10000:1</b>
ASPECT RATIO	<b>16:9</b>
VIEWING ANGLE [degrees]	<b>+/- 89°</b>
VIEWABLE COLORS	<b>16.8M</b>
PROTECTION GRADE	<b>IP67</b>




MEASURES IN MILLIMETERS

imecon

Quindici.01

75"

LCD SCREEN ACTIVE AREA [mm]	<b>928x1650</b>
SCREEN SIZE [inches]	<b>75</b>
LCD SCREEN RESOLUTION [px]	<b>2160x3840 (UHD)</b>
MAX BRIGHTNESS [cd/m <sup>2</sup> ]	<b>4500</b>
WARRANTED BRIGHTNESS [cd/m <sup>2</sup> ]	<b>3500</b> <small>OUTSIDE THE GLASS</small>
BRIGHTNESS LEVELS [%]	<b>0-100%</b> <small>STEPS OF 1%</small>
COLOR TEMPERATURE [K]	<b>6500</b>
DYNAMIC CONTRAST RATIO	<b>10000:1</b>
ASPECT RATIO	<b>16:9</b>
VIEWING ANGLE [degrees]	<b>+/- 89°</b>
VIEWABLE COLORS	<b>16.8M</b>
PROTECTION GRADE	<b>IP67</b>




MEASURES IN MILLIMETERS

imecon

Quindici.01

86"

LCD SCREEN ACTIVE AREA [mm]	<b>1066x1895</b>
SCREEN SIZE [inches]	<b>75</b>
LCD SCREEN RESOLUTION [px]	<b>2160x3840 (UHD)</b>
MAX BRIGHTNESS [cd/m <sup>2</sup> ]	<b>4500</b>
WARRANTED BRIGHTNESS [cd/m <sup>2</sup> ]	<b>3500</b> <small>OUTSIDE THE GLASS</small>
BRIGHTNESS LEVELS [%]	<b>0-100%</b> <small>STEPS OF 1%</small>
COLOR TEMPERATURE [K]	<b>6500</b>
DYNAMIC CONTRAST RATIO	<b>10000:1</b>
ASPECT RATIO	<b>16:9</b>
VIEWING ANGLE [degrees]	<b>+/- 89°</b>
VIEWABLE COLORS	<b>16.8M</b>
PROTECTION GRADE	<b>IP67</b>





imecon

Imecon- Via Gerola 13/15- 26010 Fiesco (CR)- ITALY  
Sede legale- Via A.Sangiorgio 12, 20145 Milano (MI)- ITALY  
[www.imecon.it](http://www.imecon.it)