



imecon
ANIMA

CODE
AN065US0PSTGRX01

DISPLAY	DISPLAY SIZE (inch)	65
	DIAGONAL (mm)	1640
	ACTIVE AREA HEIGHT (mm)	1429
	ACTIVE AREA WIDTH (mm)	805
	ACTIVE IMAGE AREA (m ²)	1,15
	RESOLUTION (Standard)	UltraHD 4K
	RESOLUTION (Pixel)	3840x2160
	BRIGHTNESS (cd/m ²)	500
	BACKLIGHT TECHNOLOGY	Led Edge
	PANEL TECHNOLOGY	IPS
	PIXEL PITCH	0,37
	FORM FACTOR (ratio)	9:16
	COLOR TEMPERATURE (K)	10.000 K
	ORIENTATION	Portrait (Vertical)
STRUCTURAL SPECIFICATIONS	VIEWING ANGLE (H/V)	178° x 178°
	SIDES	Single Sided
	MATERIAL	Steel
	IP PROTECTION INDEX	IP 30
	CERTIFICATIONS	CE
	ENV. TEMPERATURE OPERATIVITY	5°C - 40°C
	ENV. HUMIDITY OPERATIVITY	RH <90%
	DIRECT SUNLIGHT	No
	ACTIVE COOLING	No (Fanless System)
	STRUCTURE COLOR	Grey (RAL 7016)
	TOPCOATING	Powder coating
	GLASS	[Optional]
	PASSEPARTOUT COLOR	NA
	CLIENT LOGO	NA
	INSTALLATION TYPE	Self-standing
	MAINTENANCE ACCESS	Rear opening
	CONNECTION	USB, LAN (Protected access)
CONNECTIVITY	REMOTE CONTROL	Yes (Radio)
	CABLES ROUTING	IEC (Protected access)
POWER	RATED VOLTAGE	100-240
	POWER CONSUMPTION (TYP)	140 w
	POWER CONSUMPTION (MAX)	180 w
PLAYER	OPERATIVE SYSTEM	Imecon The Tail
	CPU PROCESSOR	Intel Core i3
	RAM	4 GB
	STORAGE	64 GB
CONTENT AND PRODUCT MANAGEMENT	CONTENT MANAGEMENT	Imecon The Tail (Standalone Version)
	PRODUCT MANAGEMENT	[Optional]
	SENSOR	ND
	DIAGNOSTICS	[Optional]
	WARRANTY	1 Year Standard
	MTBF	50.000 Hrs

MECHANIC SPECIFICATIONS


(Measures in mm)

HEIGHT	2000
WIDTH	903
DEPTH	100
BASE HEIGHT	6
BASE WIDTH	903
BASE DEPTH	499
WEIGHT (KG)	~ 100

PACKAGING SPECIFICATIONS

(PALLET)

HEIGHT	2300
WIDTH	800
DEPTH	1200
WEIGHT (KG)	~ 115
UNIT PER PACKAGING	2 MAX



imecon
IMON