

imecon

Quindici.01



DISPLAY	DISPLAY SIZE (inch)	75		
	DIAGONAL (mm)	1872		
	ACTIVE AREA HEIGHT (mm)	1650		
	ACTIVE AREA WIDTH (mm)	928		
	ACTIVE IMAGE AREA (m ²)	1,53		
	RESOLUTION (Standard)	4K UHD		
	RESOLUTION (Pixel)	3840x2160		
	BRIGHTNESS (cd/m ²)	2000	4500	
	BACKLIGHT TECHNOLOGY	Direct Led (Imecon Patent)		
	PANEL TECHNOLOGY	IPS		
	PIXEL PITCH	0,43		
	FORM FACTOR (ratio)	9:16		
	COLOR TEMPERATURE (K)	10.000 K		
	ORIENTATION	Portrait (Vertical)		
VIEWING ANGLE (H/V)	178° x 178°			
STRUCTURAL SPECIFICATIONS	SIDES	Single Sided	Double Sided	
	MATERIAL	Steel and Aluminium		
	IP PROTECTION INDEX	IP 67		
	CERTIFICATIONS	CE		
	ENV. TEMPERATURE OPERATIVITY	-20°C / + 45°C		
	ENV. HUMIDITY OPERATIVITY	RH <90%		
	DIRECT SUNLIGHT	Yes, Full Outdoor		
	ACTIVE COOLING	Air-to-air (Imecon Patent)		
	STRUCTURE COLOR	RAL 7011		
	TOPCOATING	Powder coating		
	GLASS	Laminated Extraclear 4+4	IR filter	AR filter
	PASSEPARTOUT COLOR	RAL 9005 black		
	CLIENT LOGO	[optional]		
	INSTALLATION TYPE	Floor fixed Self Standing		
	MAINTENANCE ACCESS	Double opening glass-screen		
	CONNECTION	USB, LAN (Protected access)		
	CONNECTIVITY	REMOTE CONTROL	ND	
CABLES ROUTING		IEC (Protected access)		
POWER	RATED VOLTAGE	220		
	POWER CONSUMPTION (TYP)	1680 w		
	POWER CONSUMPTION (MAX)	2800 w		
PLAYER	OPERATIVE SYSTEM	Imecon The Tail		
	CPU PROCESSOR	Intel Core i5		
	RAM	4 GB		
	STORAGE	64 GB		
CONTENT AND PRODUCT MANAGEMENT	CONTENT MANAGEMENT	Imecon The Tail (Stanalone)	Imecon The Tail (cloud)	
	PRODUCT MANAGEMENT	JOT Open	Improvements available	
	SENSOR	Environmental brightness, Temperature, Humidity, int/ext Fan speed, External Temperature, Tamper (Door security control), Colorimeter		
	DIAGNOSTICS	Super IOT (Imecon patent)		
	WARRANTY	1 year Standard		
	MTBF	50.000 Ore		

MECHANIC SPECIFICATIONS


(Measures in mm)

HEIGHT	2300
WIDTH	1108
DEPTH	150
BASE HEIGHT	470
BASE WIDTH	1108
BASE DEPTH	150
WEIGHT (KG)	~ 215
DOUBLE SIDED DEPTH	300
DOUBLE SIDED BASE DEPTH	300
DOUBLE SIDED WEIGHT (KG)	~ 430

PACKAGING SPECIFICATIONS

(PALLET)

HEIGHT	2450
WIDTH	800
DEPTH	1200
WEIGHT (KG)	~230
DOUBLE SIDED WEIGHT (KG)	~445
UNIT PER PACKAGING	1 MAX



imecon
IMON